

L Number	Hits	Search Text	DB	Time stamp
1	2854	108/51.11-57.34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:51
2	695	108/901 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:51
3	290431	alternating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:54
4	157316	projections and recesses	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:54
5	514896	hooks snap-fit hooked shank	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:53
6	1899273	flex flexing snap resilient resiliently spring springing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:53
7	1229599	latch latching lock locking interlock	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:53
8	865	alternating with (projections and recesses)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:54
9	3112	108/51.11-57.34.ccls. (108/901 108/902 )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:54
10	2	((alternating with (projections and recesses)) and (108/51.11-57.34.ccls. (108/901 108/902 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:55
11	440760	alternating (projections and recesses)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:55
12	6987	alternating and (projections and recesses)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:55
13	9	((108/51.11-57.34.ccls. (108/901 108/902 ) and (alternating and (projections and recesses))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:56
14	89	alternating and (108/51.11-57.34.ccls. (108/901 108/902 )) not ((108/51.11-57.34.ccls. (108/901 108/902 )) and (alternating and (projections and recesses)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:57
15	125	((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )) and plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:57

16	165	(108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
17	77	(alternating and (108/51.11-57.34.ccls. (108/901 108/902 )) not ((108/51.11-57.34.ccls. (108/901 108/902 )) and (alternating and (projections and recesses)))) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )) and plastic ) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
18	1440156	plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
19	53	((alternating and (108/51.11-57.34.ccls. (108/901 108/902 )) not ((108/51.11-57.34.ccls. (108/901 108/902 )) and (alternating and (projections and recesses)))) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )) and plastic ) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock ) )) and plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
-	2854	108/51.11-57.34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:51
-	695	108/901 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:51
-	181	108/901 and 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:10
-	1899273	flex flexing snap resilient resiliently spring springing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:52
-	1462359	tapered taper beveled shoulder hooked hook shank wedge conical fusticonical	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:12

-	1229599	latch latching lock locking interlock	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:53
-	2624076	release pries free depress	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
-	4996	108/51.11-57.34.ccls. Or (108/901 108/902) not (108/901 and 108/902)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
-	3068	108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
-	165	(108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:57
-	1440156	plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
-	125	((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )) and plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:57
-	32	3824933.URPN.	USPAT	2003/10/06 13:16
-	6	("2699912"   "3294040"   "3307504"   "3404642"   "3592145"   "3664271").PN.	USPAT	2003/10/06 13:18
-	32	3824933.URPN.	USPAT	2003/10/06 13:19
-	0	6622641.URPN.	USPAT	2003/10/06 13:19
-	38	("2544657"   "2699912"   "3126843"   "3307504"   "3467032"   "3602157"   "3651769"   "3654874"   "3678868"   "3685461"   "3710733"   "D231096"   "D232019"   "3824933"   "3835792"   "3878796"   "3964400"   "4051787"   "D246296"   "4103857"   "4183491"   "4287836"   "4316419"   "4403555"   "4597338"   "5197395"   "D346681"   "D347511"   "D371882"   "5676064"   "5791261"   "5809905"   "5845588"   "5860369"   "5887529"   "6006677"   "6029583"   "6109190").PN.	USPAT	2003/10/06 13:19
-	125	220/600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:22
-	953	206/386.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:22
-	1205	206/595-600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
-	1993	206/386.ccls. or 206/595-600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23

-	1963	(206/386.ccls. or 206/595-600.ccls.) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock ))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
-	37	((206/386.ccls. or 206/595-600.ccls.) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock ))) and plastic and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:24

L Number	Hits	Search Text	DB	Time stamp
1	2854	108/51.11-57.34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 12:49
2	695	108/901 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 12:50
3	181	108/901 and 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:10
4	1899273	flex flexing snap resilient resiliently spring springing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:11
5	1462359	tapered taper beveled shoulder hooked hook shank wedge conical fusticonical	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:12
6	1229599	latch latching lock locking interlock	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:12
7	2624076	release pries free depress	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
8	4996	108/51.11-57.34.ccls. Or (108/901 108/902) not (108/901 and 108/902)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
9	3068	108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
10	165	(108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:15
11	1440156	plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:15
12	125	((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )) and plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:21
13	32	3824933.URPN.	USPAT	2003/10/06 13:16
14	6	("2699912"   "3294040"   "3307504"   "3404642"   "3592145"   "3664271").PN.	USPAT	2003/10/06 13:18
15	32	3824933.URPN.	USPAT	2003/10/06 13:19
16	0	6622641.URPN.	USPAT	2003/10/06 13:19

17	38	("2544657"   "2699912"   "3126843"   "3307504"   "3467032"   "3602157"   "3651769"   "3654874"   "3678868"   "3685461"   "3710733"   "D231096"   "D232019"   "3824933"   "3835792"   "3878796"   "3964400"   "4051787"   "D246296"   "4103857"   "4183491"   "4287836"   "4316419"   "4403555"   "4597338"   "5197395"   "D346681"   "D347511"   "D371882"   "5676064"   "5791261"   "5809905"   "5845588"   "5860369"   "5887529"   "6006677"   "6029583"   "6109190") .PN.	USPAT	2003/10/06 13:19
18	125	220/600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:22
19	953	206/386.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:22
20	1205	206/595-600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
21	1993	206/386.ccls. or 206/595-600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
22	1963	(206/386.ccls. or 206/595-600.ccls.) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock ))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
23	37	((206/386.ccls. or 206/595-600.ccls.) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock ))) and plastic and (flex flexing snap resilient resiliently spring springing ) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:24